
Standard+

THICKNESS: 1 3/4" POLYURETHANE, R-16



Every detail guaranteed™





SUPERIOR PERFORMANCE

Get a product that exceeds your expectations. Our garage doors, inspired by Canada's severe weather, are energy efficient as they are first and foremost weathertight. They are strong and constructed with long-lasting components, rigorously selected to give a flawless finish, both up close and at a distance.



ONE OF THE LARGEST SELECTIONS IN THE INDUSTRY

With nearly 14,000 possible combinations, you are sure to find the garage door you are looking for. Select style, color and much more by visiting garaga.com/designcentre. There, you can create and view online the perfect door to enhance your house and be assured you're making the best decision.



A PICTURE IS WORTH A THOUSAND WORDS

So that you can make an informed decision, all the options you want can be **quickly** calculated then presented to you in a **clear**, **illustrated quotation**. Once your garage door has been chosen, your quotation is automatically transmitted to our factory to be **precisely custom-crafted**.





Standard+

MODEL PATTERNS AND LAYOUTS -

PRESTIGE (40 1/2" x 15")



9' x 7'

Prestige XL


Match your Prestige garage door with the entry doors Orleans, London or Sydney from Novatech's Prestige Collection.

16' x 7'

Prestige XL



9' x 7'



CLASSIC (21" x 13" and 40" x 13")



9' x 7' Classic CC



16' x 7'










Classic XL





STANDARD

PREMIUM



Desert Sand





Claystone



Charcoal
















Visit garaga.com/gentek to see Gentek's equivalent aluminum capping.

¹ Not available for Shaker CC and Prestige XL.





Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year









CONTEMPORARY

Standard+


MODEL PATTERNS AND LAYOUTS —
















Match your Vog® garage door with a Vog entry door from Novatech's Design Collection.



Moderno 2 beads Moderno 2 beads

COLORS

STANDARD







9' x 7'



16' x 7'

Claystone















GENTEK. Visit garaga.com/gentek to see Gentek's equivalent

¹ Not available for Vog®.

SIZES -


Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.



WARRANTY -

Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year







CARRIAGE HOUSE

Standard+

MODEL PATTERNS AND LAYOUTS -

NORTH HATLEY (19 3/4" x 15" grouped by 2 and 40 1/2" x 15")



9' x 7'	16' x 7'
North Hatley SP	North Hatley SP



SHAKER (8 ½" x 14" grouped by 4)





Claystone

American Walnut

16' x 7' Shaker XS

COLORS

STANDARD







PREMIUM





¹ Not available for Shaker XS.

SIZES -

Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

Moka Brown

Evergreen¹

GENTEK SENTEK SENTEK BUILDING PRODUCTS Visit garaga.com/gentek to see Gentek's equivalent aluminum capping.

DECORATIVE HARDWARE

HANDMADE WROUGHT IRON TEXTURE





SLIGHTLY BUMPY TEXTURE






WARRANTY -

Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year







WINDOWS (21" X 13" OR 40" X 13") 1

STAINED GLASS







ORION



PRINTING PROCESS

TYPES OF GLASS









PLASTIC INSERTS









Masterline







































Double-right Harmony



COORDINATES WITH Novatech

Garaga is proud to collaborate with entry door manufacturer, Novatech, so we can offer you products that go together perfectly.

Visit garaga.com/novatech to see what coordinates with our garage doors and windows.



WINDOW LAYOUTS



Visit our site at garaga.com/windowlayouts to see all the available options.

GARAGA CONSTRUCTION MAKES ALL THE DIFFERENCE




RUGGED & DURABLE



THERMALLY EFFICIENT









Makes sections very strong as it is mechanically interlocked and not bonded.

2 WOOD END BLOCKS

The most effective thermal breaks, they eliminate any transfer of cold or heat between materials.

3 REINFORCED METAL PLATES



With 14-gauge thickness, they are used to solidly attach hinges, handles and operator bracket.

HIGH-PERFORMANCE WEATHERSTRIPPING



Our weatherstripping ensures increased weathertightness and stays flexible through the coldest temperatures.

5 POLYURETHANE



High-pressure injected foam provides R-16 thermal resistance for 1 3/4" doors.



Because it adheres to the section walls, it provides a high level of rigidity to the door.

CONTINUOUS WOODGRAIN



Up close or at a distance, our embossed woodgrain finish is flawless and very refined.

7 MOLDED WINDOW FRAMES



Interior view



In garage door comparison tests, Garaga wins hands down. Watch our 45-second videos at garaga.com/lab



To save energy, all components of a garage door must be taken into consideration (joints between sections, weatherstripping, end blocks, etc.) and not just its thermal resistance R-value as that only refers to the construction of the sections.

¹ To see what size windows are available for each garage door model, visit garaga.com/designcentre.



Lift Master





- Ultra-quiet
- Drive system: belt or chain
- 3/4 HP, power: AC or DC



- Ultra-quiet
- Drive system: jackshaft
- Power: DC

Silent and reliable garage door openers

PREMIUM SERIES



- Quiet
- Drive system: belt or chain
- ½ HP, power: AC or DC



allows you to access, activate and monitor your garage door opener for greater control and security of your home.



8500 25th Avenue Saint-Georges QC G6A 1K5 Canada 418 227-9458 info@garaga.com garaga.com

YOUR GARAGA DISTRIBUTOR











